



Eltomatic A/S · Fabriksvej 6 · DK-9490 · Pandrup · Denmark · Phone +45 98 24 61 66 · CVR/VAT No. 25 46 99 68 · eltomatic@eltomatic.com

## **EU Declaration of conformity**

This declaration is issued under the sole responsibility of the manufacturer and declares that the following product is according to the requirements of the directive 2014/30/EU regarding EMC and the directive 2014/34/EU regarding ATEX.

Manufactured by:

Eltomatic A/S

Fabriksvej 6

DK-9490 Pandrup

Denmark

Product:

Electronic incremental encoder intended for use in potentially explosive

atmospheres.

The encoder cable must be routed and externally fixed in such a way that it is

protected against mechanical damage.

The encoder is constructed with a permanently connected cable, which must be connected in a safe area or by use of a certified "e" or "d" junction box certified in

accordance with EN60079-7 or EN60079-1.

Model(s):

01-02-05

ATEX marking:

 $\langle \varepsilon_{\rm x} \rangle$ 

II 2G EEx m II T6 Gb

-30°C to +70°C (-50°C to +70°C with fixed cable)

ATEX certificate number:

**DEMKO 01 ATEX 130640X** 

Issued by:

UL International Demko A/S

Lyskaer 8 P.O. Box 514 DK-2730 Herlev Denmark

CE marking:

CE

The CE-mark on the label is according to the directive 2014/30/EU regarding EMC and the directive 2014/34/EU regarding ATEX

A sample of this product has been tested and found to be in conformity with the following standards:

**EMC** 

EN 61000-6-4:2007:

Generic standard - Emission standard for industrial environments

EN 61000-6-2:2005:

Generic standard - Immunity for industrial environments

ATEX

EN 60079-0:2012+A11:2013:

EN 60079-18:2015:

Explosive atmospheres. Equipment - General requirements

Explosive atmospheres. Equipment protection by encapsulation "m"

QPS

CSA C22.2 No 14-05:

Non-incentive Electrical equipment for use in Class I, Division 2 Hazardous

Locations

ANSI/ISA 12.12.01: 2007:

Non-incentive Electrical Equipment for Use in Class I and II, Division 2 and

Class III. Division 1 and 2 Hazardous (Classified) Locations.

Other

Gilbarco GmbH, Germany

100% pressure test on housing10bar - duration 120sec

Date

29. marts 2019

Eckhard Hahne, Eltomatic A/S, Managing director